

Logan County, Colorado
 Print date: 09/09/2003

Table ENG-5.--Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
1: Albinas-----	80	Very limited Flooding Filtering capacity Restricted permeability	1.00 1.00 1.00	Very limited Flooding Seepage	1.00 1.00
2: Alda-----	80	Very limited Depth to saturated zone Filtering capacity	1.00 1.00	Very limited Seepage Depth to saturated zone	1.00 1.00
3: Alda-----	85	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 1.00
4: Altvan-----	50	Very limited Filtering capacity Restricted permeability	1.00 0.50	Very limited Seepage Slope	1.00 0.32
Eckley-----	30	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
5: Altvan-----	50	Very limited Filtering capacity Restricted permeability	1.00 0.50	Very limited Seepage Slope	1.00 1.00
Eckley-----	30	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
6*: Aquolls-----	80	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00
7*: Argiustolls, wet----	75	Very limited Depth to saturated zone Restricted permeability	1.00 0.82	Very limited Depth to saturated zone Slope Seepage	1.00 0.92 0.18
8*: Argiustolls-----	30	Very limited Depth to bedrock	1.00	Somewhat limited Depth to hard bedrock Slope	1.00 0.68
Rock outcrop-----	30	Not rated Not rated; Fragments > 75mm Depth to bedrock	1.00	Not rated Not rated; Unified Not rated; Fragments > 75mm Depth to hard bedrock Slope	1.00 0.68

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
9: Arvada-----	85	Very limited Restricted permeability	1.00	Not limited	
10: Ascalon-----	85	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
11: Ascalon-----	85	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	0.32
12: Ascalon-----	90	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	1.00
13*: Badland-----	70	Very limited Depth to bedrock	1.00	Not rated Not rated; Unified Depth to soft bedrock Slope	1.00 1.00
14: Bankard-----	80	Very limited Flooding Filtering capacity	1.00 1.00	Very limited Flooding Seepage	1.00 1.00
15: Bayard-----	65	Not limited		Very limited Seepage Slope	1.00 0.68

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
15: Canyon-----	30	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
				Slope	0.68
16: Bridgeport-----	85	Somewhat limited Restricted permeability	0.50	Very limited Seepage	1.00
17: Canyon-----	75	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock	1.00
		Slope	0.84	Slope	1.00
18: Chappell-----	85	Very limited Flooding Filtering capacity	1.00 1.00	Very limited Flooding Seepage	1.00 1.00
19: Colby-----	85	Somewhat limited Slope Restricted permeability	0.84 0.50	Very limited Slope Seepage	1.00 0.50
20: Dacono-----	85	Very limited Filtering capacity Restricted permeability	1.00 0.50	Very limited Seepage	1.00
21: Dailey-----	90	Very limited Filtering capacity	1.00	Very limited Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
22: Dailey-----	85	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.92
23: Dailey, thick surface-----	80	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
24: Dix-----	50	Very limited Filtering capacity Slope	1.00 1.00	Very limited Slope Seepage	1.00 1.00
Altvan-----	30	Very limited Filtering capacity Restricted permeability Slope	1.00 0.68 0.63	Very limited Slope Seepage	1.00 1.00
25: Dix-----	50	Very limited Filtering capacity Slope	1.00 1.00	Very limited Slope Seepage	1.00 1.00
Eckley-----	30	Very limited Filtering capacity Slope	1.00 0.16	Very limited Seepage Slope	1.00 1.00
26: Els-----	85	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
27: Epping-----	90	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock Slope	1.00 0.92
28*: Fluvaquentic Haplaquolls-----	90	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00
29*: Fluvaquents-----	90	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 1.00
30: Glenberg-----	90	Very limited Flooding	1.00	Very limited Flooding Seepage	1.00 1.00
31: Gravel pits-----	95	Not rated Not rated; Fragments > 75mm Filtering capacity	1.00	Not rated Not rated; Fragments > 75mm Seepage	1.00
32: Haverson-----	87	Not limited		Very limited Seepage	1.00
33: Haverson-----	85	Not limited		Very limited Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
34: Haverson, frequently flooded-----	85	Very limited Flooding	1.00	Very limited Flooding Seepage	1.00 1.00
35: Haverson, saline----	85	Very limited Flooding	1.00	Very limited Flooding Seepage	1.00 1.00
36: Haxtun-----	85	Very limited Restricted permeability	1.00	Very limited Seepage	1.00
37: Haxtun-----	80	Very limited Restricted permeability	1.00	Very limited Seepage Slope	1.00 0.32
38: Haxtun-----	80	Very limited Restricted permeability	1.00	Very limited Seepage	1.00
39: Hayford-----	80	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 1.00	Very limited Seepage Depth to saturated zone	1.00 1.00
40: Hayford, saline----	80	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 1.00	Very limited Seepage Depth to saturated zone	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
41: Heldt-----	90	Very limited Restricted permeability	1.00	Not limited	
42: Heldt, saline-----	90	Very limited Restricted permeability	1.00	Not limited	
43: Iliff-----	75	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock Seepage	1.00 0.50
44: Julesburg-----	85	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
45: Julesburg-----	85	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.92
46: Julesburg-----	85	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
47: Julesburg-----	85	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.32
48: Julesburg-----	90	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
49: Julesburg-----	55	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.68
Eckley-----	35	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
50: Keith-----	85	Not limited		Very limited Seepage	1.00
51: Kim-----	85	Not limited		Very limited Seepage Slope	1.00 0.92
52: Kuma-----	85	Somewhat limited Restricted permeability	0.50	Very limited Seepage	1.00
53: Kutch-----	90	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock Seepage	1.00 0.18
54: Kutch-----	95	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock Slope Seepage	1.00 0.92 0.18
55: Lebsack-----	80	Very limited Restricted permeability	1.00	Not limited	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
56: Lebsack, saline-----	80	Very limited Restricted permeability Depth to saturated zone	1.00 0.08	Not limited	
57: Lebsack, wet-----	80	Very limited Restricted permeability Depth to saturated zone	1.00 0.08	Not limited	
58: Loveland-----	85	Very limited Flooding Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 1.00 1.00	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 1.00
59: Manter-----	85	Not limited		Very limited Seepage	1.00
60: Manter-----	85	Not limited		Very limited Seepage Slope	1.00 0.92
61: Manter-----	85	Not limited		Very limited Seepage	1.00
62: Manter-----	85	Not limited		Very limited Seepage Slope	1.00 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
63: Manter-----	85	Not limited		Very limited Seepage Slope	1.00 1.00
64: Manter, watertable--	90	Very limited Filtering capacity Depth to saturated zone	1.00 1.00	Very limited Seepage Depth to saturated zone	1.00 0.71
65: Manter, wet-----	95	Very limited Filtering capacity Depth to saturated zone	1.00 1.00	Very limited Seepage Depth to saturated zone	1.00 0.71
66: Manzanola-----	90	Very limited Restricted permeability	1.00	Not limited	
67: Midway-----	85	Very limited Depth to bedrock Slope	1.00 0.84	Very limited Depth to soft bedrock Slope	1.00 1.00
68: Mitchell-----	85	Not limited		Very limited Seepage	1.00
69: Mitchell-----	55	Not limited		Very limited Seepage	1.00
Keota-----	35	Very limited Restricted permeability Depth to bedrock	1.00 1.00	Very limited Depth to soft bedrock Seepage	1.00 0.50

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
70: Mitchell-----	55	Not limited		Very limited Seepage Slope	1.00 0.32
Keota-----	35	Very limited Depth to bedrock Restricted permeability	1.00 0.50	Very limited Depth to soft bedrock Slope Seepage	1.00 1.00 1.00 0.50
71: Mitchell-----	50	Not limited		Very limited Seepage	1.00
Norka-----	40	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage	0.50
72: Mosher-----	90	Very limited Restricted permeability Depth to saturated zone	1.00 0.84	Somewhat limited Seepage Depth to saturated zone	0.50 0.17
73: Mosher-----	88	Very limited Restricted permeability Depth to saturated zone	1.00 0.84	Somewhat limited Seepage Depth to saturated zone	0.50 0.17
74: Norka-----	90	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage	0.50
75: Norka-----	50	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage	0.50

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
75: Ulysses-----	35	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage	0.50
76: Nunn-----	90	Very limited Restricted permeability	1.00	Somewhat limited Seepage	0.50
77: Nunn-----	90	Very limited Restricted permeability	1.00	Somewhat limited Seepage	0.50
78: Nunn-----	90	Very limited Restricted permeability	1.00	Somewhat limited Seepage	0.50
				Slope	0.32
79: Nunn-----	90	Very limited Restricted permeability	1.00	Very limited Slope	1.00
				Seepage	0.50
80: Nunn-----	90	Very limited Restricted permeability	1.00	Somewhat limited Seepage	0.50
81: Nunn-----	90	Very limited Restricted permeability	1.00	Somewhat limited Slope	0.92
				Seepage	0.50
82: Nunn, watertable----	85	Very limited Restricted permeability	1.00	Somewhat limited Depth to saturated zone	0.71
		Depth to saturated zone	1.00	Seepage	0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
83: Nunn, wet-----	85	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Depth to saturated zone Seepage	0.71 0.32
84: Olney-----	90	Not limited		Very limited Seepage Slope	1.00 0.32
85: Olney-----	85	Somewhat limited Restricted permeability	0.50	Very limited Seepage Slope	1.00 1.00
86: Peetz-----	85	Very limited Filtering capacity Slope	1.00 1.00	Very limited Seepage Slope	1.00 1.00
87: Platner-----	85	Somewhat limited Restricted permeability	0.68	Very limited Seepage	1.00
88: Platner-----	95	Somewhat limited Restricted permeability	0.68	Very limited Seepage	1.00
89: Platner-----	85	Somewhat limited Restricted permeability	0.68	Very limited Seepage	1.00
90: Platner-----	80	Somewhat limited Restricted permeability	0.68	Very limited Seepage Slope	1.00 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
91: Platner-----	45	Somewhat limited Restricted permeability	0.68	Very limited Seepage	1.00
Rago-----	25	Very limited Restricted permeability	1.00	Very limited Seepage	1.00
Dacono-----	20	Very limited Filtering capacity Restricted permeability	1.00 0.50	Very limited Seepage	1.00
92: Rago-----	80	Very limited Restricted permeability	1.00	Very limited Seepage	1.00
93: Rago-----	85	Very limited Restricted permeability	1.00	Very limited Seepage	1.00
94: Renohill-----	60	Very limited Depth to bedrock Restricted permeability	1.00 0.68	Very limited Depth to soft bedrock Slope Seepage	1.00 0.68 0.32
Shingle-----	20	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock Slope	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
95*: Rock outcrop-----	70	Not rated Not rated; Fragments > 75mm Depth to bedrock Slope	1.00 1.00	Not rated Not rated; Unified Not rated; Fragments > 75mm Depth to hard bedrock Slope	1.00 1.00
Argiustolls-----	20	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to hard bedrock Slope	1.00 1.00
96: Rosebud-----	50	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock Seepage Slope	1.00 1.00 0.32
Escabosa-----	30	Very limited Restricted permeability Depth to bedrock	1.00 1.00	Very limited Depth to hard bedrock Seepage Slope	1.00 0.50 0.32
97: Rosebud-----	50	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock Slope Seepage	1.00 1.00 1.00
Escabosa-----	30	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 0.50

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
98: Rosebud-----	45	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock Seepage	1.00 1.00
Escabosa-----	30	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock Seepage	1.00 0.50
Iliff-----	20	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock Seepage	1.00 0.50
99: Satanta-----	80	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage	0.50
100: Satanta-----	85	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage	0.50
101: Satanta-----	90	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage Slope	0.50 0.32
102: Satanta, watertable-	90	Somewhat limited Restricted permeability Depth to saturated zone	0.50 0.40	Somewhat limited Seepage	0.50

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
103: Satanta, wet-----	90	Very limited Depth to saturated zone Restricted permeability	1.00 0.50	Very limited Depth to saturated zone Seepage	1.00 0.50
104: Shingle-----	90	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock Slope	1.00 0.68
105: Stoneham-----	90	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.92 0.50
106: Stoneham-----	85	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage Slope	0.50 0.32
107: Stoneham-----	90	Somewhat limited Restricted permeability	0.50	Very limited Slope Seepage	1.00 0.50
108: Stoneham-----	60	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.92 0.50
Cushman-----	35	Very limited Restricted permeability Depth to bedrock	1.00 1.00	Very limited Depth to soft bedrock Slope Seepage	1.00 0.92 0.50

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
109:					
Thedalund-----	45	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	0.32
Kim-----	30	Somewhat limited Slope	0.63	Very limited Slope	1.00
				Seepage	1.00
Shingle-----	20	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
110:					
Wagonwheel-----	45	Somewhat limited Restricted permeability	0.50	Very limited Seepage	1.00
				Slope	0.32
Stoneham-----	30	Somewhat limited Restricted permeability	0.50	Very limited Seepage	1.00
				Slope	0.32
111:					
Wagonwheel-----	40	Somewhat limited Restricted permeability	0.50	Very limited Seepage	1.00
		Slope	0.04	Slope	1.00
Colby-----	35	Somewhat limited Restricted permeability	0.50	Very limited Slope	1.00
		Slope	0.04	Seepage	0.50
112*:					
Ustic Torriorthents-	84	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
113: Valent-----	95	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
114: Valent-----	95	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
115: Valent-----	90	Very limited Filtering capacity Slope	1.00 0.04	Very limited Seepage Slope	1.00 1.00
116: Vona-----	95	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.92
117: Vona-----	95	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.92
118: Wages-----	85	Somewhat limited Restricted permeability	0.68	Somewhat limited Seepage	0.32
119: Wages-----	85	Somewhat limited Restricted permeability	0.68	Somewhat limited Seepage Slope	0.32 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
120: Wages-----	85	Somewhat limited Restricted permeability	0.68	Very limited Slope	1.00
				Seepage	0.32
121: Wages-----	55	Somewhat limited Restricted permeability	0.68	Very limited Slope	1.00
				Seepage	0.32
Altvan-----	25	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
		Restricted permeability	0.68	Slope	1.00
122: Wages-----	50	Somewhat limited Restricted permeability	0.68	Somewhat limited Slope	0.92
				Seepage	0.32
Manter-----	30	Not limited		Very limited Seepage	1.00
				Slope	0.92
123: Wages-----	60	Somewhat limited Restricted permeability	0.68	Somewhat limited Seepage	0.32
				Slope	0.32
Rosebud-----	30	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock	1.00
				Seepage	1.00
				Slope	0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
124: Wages-----	50	Somewhat limited Restricted permeability	0.68	Very limited Slope Seepage	1.00 0.32
Rosebud-----	30	Very limited Depth to bedrock	1.00	Very limited Depth to soft bedrock Slope Seepage	1.00 1.00 1.00 1.00
125: Weld-----	80	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage	0.50
126: Weld-----	80	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage	0.50
127: Westplain-----	85	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 1.00 1.00
128: Westplain-----	55	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 1.00 1.00
Alda-----	35	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
W: Water-----	100	Not rated		Not rated	
		Not rated; Slope		Not rated;	
		Not rated;		Unified	
		Fragments > 75mm		Not rated; Slope	
				Not rated;	
				Fragments > 75mm	